




Jonathan Green®

VERI-GREEN® Weed & Feed

**WEEDS CONTACTED BY THIS
PRODUCT GRADUALLY DIE AND
DISAPPEAR FROM THE LAWN**

**CONTROLLED RELEASE
NITROGEN FEEDS
GRASS LONGER**

**THICKENS AND
PROMOTES A
LUSH, GREEN LAWN**

**CONTROLS DANDELIONS
AND MORE THAN**

**250
OTHER
BROADLEAF
WEEDS!**

21-0-3

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	0.700%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid***†	0.182%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***†	0.179%
	98.939%

OTHER INGREDIENTS:

TOTAL:	100.000%
--------	----------

DISSOLVE® is a Registered Trademark of Nufarm Americas Inc. Patent #5,266,553

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

2,4-Dichlorophenoxyacetic Acid	0.58%, 0.0058 oz/lb
(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.15%, 0.0015 oz/lb
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid	0.15%, 0.0015 oz/lb

†CONTAINS THE SINGLE ISOMER FORMS OF MECPROP-P and DICHLORPROP-P

EPA REG. NO. 228-280-50931

EPA EST. NO. 075527-PA-12, 90561-MC-001, 89135-AZ-001, 093243-CT-1, 93243-TX-1, 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 82757-OH-001, 8378-IN-1, 69759-OR-02, 69759-OR-004 (LOT BEGINS BAA)

Code on bag indicates manufacturing site.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300

For Medical Emergencies Only, Call (877) 325-1840

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION. WEEDS CONTACTED BY THIS PRODUCT GRADUALLY DIE AND DISAPPEAR FROM THE LAWN.

GUARANTEED ANALYSIS:

Total Nitrogen (N)	21%	Derived From: Polymer Coated Urea, Urea, Sulfate of Potash.
21.00% Urea Nitrogen*		*6.30% controlled release urea nitrogen from polymer coated urea
Soluble Potash (K ₂ O)	3%	Information regarding the contents and levels of metals in this product is available on the internet at http://www.usapco.com/html

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in waters adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run-off to water bodies or drainage systems.

Do not apply directly to or near water, storm drains, gutters, or drainage ditches. Do not apply within 25 feet of rivers, fishponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area to the point of run-off or apply when raining or when rain is expected that day.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. A minimum of 30 days between applications is required. This product is a stable mixture of three herbicides. It is for use on all residential turf. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Ryegrass, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass.

DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder	Chicory	Fleabane,	Mallow,	Russian	Stitchwort
Artichoke	Cinquefoil	Rough	Indiana	Pigweed,	Strawberry,
Aster	Cinquefoil,	Flaxweed	Mallow, Venice	Smooth Pigweed,	Wild
Aster, Wild	Rough	Florida Pusley	Marigold,	Tumble	Sumac
Bedstraw	Clematis,	Four-O'-Clock,	Roundleafed	Pimpernel,	Sunflower
Bedstraw,	Western	Wild	Marigold, Wild	Scarlet Plantain	Sunflower,
Pineywoods	Clover	Frenchweed	Marshelder	Plantain,	False
Beggarick	Clover, Annual	Galinsoaga	Matchweed	Blackseed	Sweet Potato,
Betony, Florida	Yellow Sweet	Galinsoaga,	Medic, Black	Plantain,	Wild
Biden	Clover, Crimson	Smellflower	Mexicanweed	Bracted	Spiny Ragwort
Bindweed	Clover, Hop	Garlic, Wild	Morningglory	Plantain,	Tanweed
Bindweed, Field	Clover, Red	Geranium,	Morningglory,	Broadleaf	Tarweed
Bindweed, Hedge	Clover,	Carolina	Woolly	Plantain,	Thistle
Bitter	Strawberry	Geranium,	Mugwort	Buckhorn	Thistle, Blessed
Wintercress	Clover, Sweet	Wild Goathead	Mullein,	Plantain, Hoary	Thistle, Bull
Bittercress,	Clover, White	Goatshead	Common	Plantain,	Thistle, Canada
Hairy	Cockle	Goldenrod	Mustard	Narrowleaf	Thistle, Musk
Bitterweed	Cocklebur	Ground-Ivy	Mustard, Black	Plantain,	Thistle, Russian
Black-eyed	Cocklebur,	Groundsel	Mustard, Garlic	Slender	Thistle, Scotch
Susan	Spiny	Gumweed	Mustard,	Plantain, Woolly	Toadflax
Bloodflower,	Coffeebean	Hawkweed	Hedge	Pokeweed	Trailing
Milkweed	Coffeeweed	Hawkweed,	Mustard, Tansy	Poorjoe	Crownvetch
Box Elder	Coreopsis,	Orange	Mustard,	Povertyweed	Trefoil, Tick
Brassbuttons	Plains	Healall	Tumble	Prickly Sida	Tumbleweed
Bristly	Creeping Jenny	Heartleaf Drymary	Mustard, White	Primrose	Velvet Leaf
Oxtongue	Croton	Healaster	Mustard, Wild	Puncture Vine	Veronica
Broomweed	Croton, Woolly	Hemlock,	Nettle, Dead	Purslane	Vervain
Buckhorn	Cudweed	Poison	Nettle, Bull	Radish, Wild	Vervain, Blue
Buckwheat,	Curly Indigo	Hemp	Nettle, Burning	Ragweed	Vervain, Hoary
Wild	Daisy, English	Henbit	Nettle, Dead	Rape, Wild	Vervain,
Bullthistle,	Daisy, Oxeye	Hoary Cress	Nettle, Stinging	Rose, Southern	Prostrate
Wavyleaf	Dandelion	Honeysuckle	Nettle, Tall	Wild	Vervain, Tall
Bur Ragweed	Dandelion, Fall	Horsebettle	Nutgrass	Rush	Vetch
Burdock	Dandelion,	Horseail	Oak, Poison	Salsify, Western	Vetch, Bird
Burweed	False	Ironweed	Onion, Wild	Shepherdspurse	Vetch, Milk
Buttercup	Dock	Ivy, Poison	Oxalis	Smartweed	Vetch,
Buttercup,	Dockleaved	Jimsonweed	Pansy, Field	Smazweed	Narrowleaf
Bulbous	Broadleaf	Knopweed,	Parsley-piert	Sorrel, Red	Vetch, Wild
Carpetweed	Dock, Curly	Spotted	Parsnip	Sorrel, Sheep	Virginia
Carrot, Wild	Dock, Smooth	Dogbane	Parsnip, Wild	Sowthistle	Buttonweed
Catchweed,	Dogbane	Knawel	Pearlwort	Sowthistle,	Virginia
Bedstraw	Dogfennel	Knawel	Pennycress	Common	Creep
Catnip	Elderberry	Knawel,	Pennycress	Spanshneede	Willow
Catnip	Fiddleneck	Prostrate	Peppergrass	Spatterdock	Witchweed
Catsear,	Fieldcress,	Kochia	Pepperweed,	Speedwell	Woodsorrel
Spotted	Austrian	Lambsquarter	Pepperweed,	Spiny Amaranth	Wormseed
Chamomile,	Filaree,	Lepedeza	Virginia	Spurge	Yarrow
Corn	Redstem	Lettuce, Blue	Pigweed	Spurge,	Yellow Rocket
Chickweed	Flax, False	Lettuce, Pricky	Pigweed,	Prostrate	Yellowflower
Chickweed,	Flea bane,	Lettuce, Wild	Prostrate	Spurge, Spotted	Pepperweed
Common	Lupine	Locoweed	Prostrate	Spurweed,	
Chickweed,	Fleabane,	Hairy	Redroot	St. Johnswort	
Mouseear			Mallow	Stinkweed	

Pledge Of Satisfaction

We have made every effort in the formulation of this product to assure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success.

WHEN TO APPLY

Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results **(1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment.** Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur. NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses.

It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY

This 14 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is equal to one application.

SPREADER SETTINGS (One pass application)

The following settings are approximate for applying contents of this package at a suggested rate of 2.8 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .70 pounds per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

SUGGESTED SPREADING APPLICATIONS

It is important to follow the directions as indicated on this quality lawn care product as over-application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. This bag covers approximately 5,000 square feet. Close spreader hopper and adjust the spreader setting using the Spreader Settings chart. Fill spreader on driveway or sidewalk to eliminate the chance of spillage on the lawn. Close the spreader hopper whenever spreader stops or turns. For one pass application rate.

Measure the size of the area to be treated and do not over or under apply. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. **DO NOT HAND SPREAD.**



FOR ONE PASS APPLICATION:

For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will insure complete coverage.

BROADCAST SPREADER SETTINGS

Jonathan Green	
Standard	3-1/2
Deluxe	11
Hand Held	2
Agri-Fab	4-1/2
Chapin 81000A	4-1/2
Cyclone	3-1/2
EZ Republic (Ortho)	2
Earthway (Ames)	13
Lesco	10 - 11 / D
Precision (Red Devil)	4
Scotts Rotary Spreaders*	3-1/2
Scotts EasyGreen	24

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000



FOR ONE PASS APPLICATION:

First apply 2 border strips along the edge of each end of the lawn. Then apply product along the length of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

DROP SPREADER SETTINGS

Central	4
EZ Republic (Ortho)	3
Earthway (Ames)	13
Precision (Red Devil)	3
Scotts**	4

**Includes Accugreen 1000 - 2000 & Classic

All other trademarks are the property of their respective owners.

USE PRECAUTIONS FOR TURF, ORNAMENTAL

(soil courses, cemeteries, parks, sports fields, turfgrass, lawns and other grass areas)

Postemergence: Limited to 2 applications per year. Maximum of 250 pounds of product/acre per application. The maximum seasonal rate is 500 pounds of product/acre, excluding spot treatments.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing .59 pounds* of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program. *Based on Inert Fertilizer claimed.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near feed or foodstuffs. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Distributed & Guaranteed by: Jonathan Green, Inc. P.O. Box 326 Farmingdale, NJ 07727

(26002)

(RV032416)

571024